

Refine Search

Search Results -

Terms	Documents
(notif\$7 near (browser or client or host near application) with thread)	58

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L168



Refine Search

Recall Text

Clear

Interrupt

Search History

 DATE: Monday, May 29, 2006 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L168</u>	(notif\$7 near (browser or client or host near application) with thread)	58	<u>L168</u>
<u>L167</u>	(thread or task) near state with (notif\$7 near (browser or client or host near application))	0	<u>L167</u>
<u>L166</u>	(thread or task) near transition and (notif\$7 near (browser or client or host near application))	10	<u>L166</u>
<u>L165</u>	(thread or task) near transition with notif\$7	12	<u>L165</u>
<u>L164</u>	(thread or task) with ((enter\$3 or leav\$3) near (run\$1time or jvm or java near machine))	3	<u>L164</u>
<u>L163</u>	(run\$1time near environment or jvm or java near machine or abstract\$3 near (interface or layer)) with (i\$1o near port)	21	<u>L163</u>
<u>L162</u>	(run\$1time near environment or jvm or java near machine or abstract\$3 near (interface or layer)) with completion	52	<u>L162</u>
<u>L161</u>	(run\$1time near environment or jvm or java near machine or abstract\$3 near (interface or layer)) with completion near port	0	<u>L161</u>

<u>L160</u>	bind\$3 near handle with completion	4	<u>L160</u>
<u>L159</u>	bind\$3 near handle	542	<u>L159</u>
<u>L158</u>	L124 and L157	4	<u>L158</u>
<u>L157</u>	(run\$1time near environment or jvm or java near machine or abstract\$3 near (interface or layer)) with bind\$3	89	<u>L157</u>
<u>L156</u>	(run\$1time near environment or jvm or java near machine or abstract\$3 near (interface or layer)) with bind\$3 near port	1	<u>L156</u>
<u>L155</u>	L153 and L154	15	<u>L155</u>
<u>L154</u>	(run\$1time near environment or jvm or java near machine or abstract\$3 near (interface or layer))	11839	<u>L154</u>
<u>L153</u>	adjust\$4 near priority	1014	<u>L153</u>
<u>L152</u>	adjust\$4 near priority with (run\$1time or jvm or java near machine or abstract\$3)	2	<u>L152</u>
<u>L151</u>	callback with (run\$1time or jvm or java near machine or abstract\$3)	144	<u>L151</u>
<u>L150</u>	callback with (thread or task) near state	3	<u>L150</u>
<u>L149</u>	callback with runnable near state	2	<u>L149</u>
<u>L148</u>	L124 and L147	52	<u>L148</u>
<u>L147</u>	L142 and L146	647	<u>L147</u>
<u>L146</u>	(host or client or browser) near (interface or api)	28126	<u>L146</u>
<u>L145</u>	L144 and (run\$1time or jvm or java near machine)	34	<u>L145</u>
<u>L144</u>	((performance or optimiz\$4) near (reus\$3 or pool\$3))	328	<u>L144</u>
<u>L143</u>	L121 and L142	16	<u>L143</u>
<u>L142</u>	abstract\$3 near layer	3629	<u>L142</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>			
<u>L141</u>	'5574915'.pn.	1	<u>L141</u>
<u>L140</u>	'5613120'.pn.	1	<u>L140</u>
<u>L139</u>	'5822787'.pn.	1	<u>L139</u>
<u>L138</u>	'5835743'.pn.	1	<u>L138</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L137</u>	(run\$1time or jvm or java near machine) with (\$4runnable)	27	<u>L137</u>
<u>L136</u>	set\$4 near size with thread near pool	5	<u>L136</u>
<u>L135</u>	L124 and L134	6	<u>L135</u>
<u>L134</u>	set\$4 near size with (browser or client or ((java or host) near application) with thread near pool)	109	<u>L134</u>
<u>L133</u>	(reus\$3 or pool\$3) near (run\$1time or jvm or java near machine)	44	<u>L133</u>
<u>L132</u>	((run\$1time) with ((ceat\$3 or spawn\$ or fork\$3) near (task or thread)))	28	<u>L132</u>
<u>L131</u>	L130	2	<u>L131</u>
<u>L130</u>	((jvm or java near machine) with ((ceat\$3 or spawn\$ or fork\$3) near (task or thread)))	2	<u>L130</u>
<u>L129</u>	((thread or task) with ((enter\$3 or leav\$3) near unmanaged))	0	<u>L129</u>
<u>L128</u>	((thread or task) with (reserve near (enter\$3 or leav\$3)))	4	<u>L128</u>
<u>L127</u>	((thread or task) near (enter\$3 or leav\$3) or enter\$3 or leav\$3))	3109338	<u>L127</u>

<u>L126</u>	((reverse near (enter\$3 or leav\$3) or enter\$3 or leav\$3) near unmanaged)	1	<u>L126</u>
<u>L125</u>	L121 and L124	82	<u>L125</u>
<u>L124</u>	L78 or L123	9719	<u>L124</u>
<u>L123</u>	(711/170 711/171 711/172 711/173).ccls.	3267	<u>L123</u>
<u>L122</u>	L78 and L121	75	<u>L122</u>
<u>L121</u>	((client or browser or host near application) with (jvm or java near machine))	779	<u>L121</u>
<u>L120</u>	(jvm or java near machine or run\$1time) with ((mov\$3 or chang\$3) near (task or thread))	22	<u>L120</u>
<u>L119</u>	L111 and L118	6	<u>L119</u>
<u>L118</u>	\$3manag\$6 adj code	2115	<u>L118</u>
<u>L117</u>	3manag\$6 adj code	0	<u>L117</u>
<u>L116</u>	L108 and L115	9	<u>L116</u>
<u>L115</u>	\$3manag\$6 near code	4653	<u>L115</u>
<u>L114</u>	notif\$6 near run\$1time	39	<u>L114</u>
<u>L113</u>	run\$1time with ((memory near allocat\$3) near fail\$3)	2	<u>L113</u>
<u>L112</u>	host near application and L108	2	<u>L112</u>
<u>L111</u>	((abstract\$3 or transparen\$2) near (api or interface) with run\$1time)	36	<u>L111</u>
<u>L110</u>	L108 and L109	1	<u>L110</u>
<u>L109</u>	customiz\$4 near run\$1time	90	<u>L109</u>
<u>L108</u>	((abstract\$3 or transparen\$2) near run\$1time)	95	<u>L108</u>
	<i>DB=TDBD,DWPI,JPAB,EPAB,USOC,USPT,PGPB; PLUR=YES; OP=OR</i>		
<u>L107</u>	SEZGIN-BEYSIM!	17	<u>L107</u>
<u>L106</u>	BENDIXEN-MASON-K!	5	<u>L106</u>
<u>L105</u>	BRUMME-CHRISTOPHER-W!	31	<u>L105</u>
<u>L104</u>	CARLIN-PETER-A!	10	<u>L104</u>
<u>L103</u>	CARMICHAEL-IAN-H!	8	<u>L103</u>
<u>L102</u>	PRATSCHNER-STEVEN-J!	4	<u>L102</u>
<u>L101</u>	LIU-WEIWEN!	7	<u>L101</u>
<u>L100</u>	LIU-WEIWEN!	7	<u>L100</u>
<u>L99</u>	LIU-WEIWEN!	7	<u>L99</u>
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L98</u>	L94 and L97	7	<u>L98</u>
<u>L97</u>	callback with (run\$1time or jvm or java near machine)	113	<u>L97</u>
<u>L96</u>	callback near (run\$1time or jvm or java near machine)	11	<u>L96</u>
<u>L95</u>	L54 and L94	1	<u>L95</u>
<u>L94</u>	L78 and L93	123	<u>L94</u>
<u>L93</u>	(abstract\$3 or run\$1time or jvm or java near machine) with allocat\$3 near memory	583	<u>L93</u>
<u>L92</u>	(abstract\$3 or run\$1time or jvm or java near machine) with low near memory	22	<u>L92</u>
<u>L91</u>	abstract\$3 near low near memory	2	<u>L91</u>

<u>L90</u>	6874149.pn.	2	<u>L90</u>
<u>L89</u>	6874419.pn.	2	<u>L89</u>
<u>L88</u>	6879419.pn.	2	<u>L88</u>
<u>L87</u>	re\$1plac\$6 near memory near (api or application near interface)	4	<u>L87</u>
<u>L86</u>	L68 and L78	10	<u>L86</u>
<u>L85</u>	L68 or L78	6893	<u>L85</u>
<u>L84</u>	((execut\$3 or run\$4) with unmanaged near code)	51	<u>L84</u>
<u>L83</u>	((execut\$3 or run\$4) near unmanaged near code)	9	<u>L83</u>
<u>L82</u>	(leav\$3 or enter\$3 or revers\$3) with unmanaged near code	2	<u>L82</u>
<u>L81</u>	run\$1time with unmanaged near code	20	<u>L81</u>
<u>L80</u>	run\$1time near unmanaged near code	3	<u>L80</u>
<u>L79</u>	(jvm or java near machine) near unmanaged near code	0	<u>L79</u>
<u>L78</u>	L72 or L73 or L74 or L75 or L76	6625	<u>L78</u>
<u>L77</u>	L72 or L73 or L74 or L75 L76	6625	<u>L77</u>
<u>L76</u>	(707/206).ccls.	618	<u>L76</u>
<u>L75</u>	(719/318 719/331 719/332).ccls.	1166	<u>L75</u>
<u>L74</u>	(717/120 717/121).ccls.	562	<u>L74</u>
<u>L73</u>	(718/1 718/100 718/104 718/106).ccls.	3388	<u>L73</u>
<u>L72</u>	(719/328).ccls.	1154	<u>L72</u>
<u>L71</u>	(jvm or java near machine) near integrat\$3	23	<u>L71</u>
<u>L70</u>	(jvm or java near machine) and L68	4	<u>L70</u>
<u>L69</u>	((api or application near interface) near (jvm or java near machine))	18	<u>L69</u>
<u>L68</u>	host near application near interface	278	<u>L68</u>
<u>L67</u>	L65 and L66	58	<u>L67</u>
<u>L66</u>	memory near allocat\$3 or garbage near collection or ((creat\$3 or fork\$3 or spawn\$3) near thread)	26569	<u>L66</u>
<u>L65</u>	((re\$1direct\$3 or detout\$3) near (call or invok\$3 or invocation or request) with (client or browser or host near application))	668	<u>L65</u>
<u>L64</u>	((customiz\$4 near execut\$3) with (client or browser or host near application))	24	<u>L64</u>
<u>L63</u>	((customiz\$4 near execut\$3) near (client or browser or host near application))	0	<u>L63</u>
<u>L62</u>	L60 and L61	81	<u>L62</u>
<u>L61</u>	memory near allocat\$3 and garbage near collection and ((creat\$3 or fork\$3 or spawn\$3) near thread)	102	<u>L61</u>
<u>L60</u>	L57 and L59	2449352	<u>L60</u>
<u>L59</u>	((api or application near interface) near\$2 (jvm or java near machine))	2510149	<u>L59</u>
<u>L58</u>	((api or application near interface) and (jvm or java near machine))	1737	<u>L58</u>
<u>L57</u>	((customiz\$4 near execut\$3) near\$2 (client or browser or host near application))	2620741	<u>L57</u>
<u>L56</u>	L54 and L55	24	<u>L56</u>
<u>L55</u>	(jvm or java near machine)	3642	<u>L55</u>

<u>L54</u>	((client or browser or host near application) with ((abstract\$3 or transparen\$2) near interface))	104	<u>L54</u>
<u>L53</u>	((api or application near interface) and (jvm or java near machine)).ab,ti.	22	<u>L53</u>
<u>L52</u>	((client or browser or host near application) and (api or application near interface) and (jvm or java near machine)).ab,ti.	4	<u>L52</u>
<u>L51</u>	((client or browser or host) with (integrat\$3 near (jvm or java near machine or common adj language)))	0	<u>L51</u>
<u>L50</u>	((client or browser) with (integrat\$3 near (jvm or java near machine or common adj language)))	0	<u>L50</u>
<u>L49</u>	((client or browser or application) near integrat\$3) with (jvm or java near machine or common adj language))	21	<u>L49</u>
<u>L48</u>	((client or browser or application) near (api or application near interface) with (jvm or java near machine or common adj language))	31	<u>L48</u>
<u>L47</u>	L45 and L46	112	<u>L47</u>
<u>L46</u>	callback with asynchronous\$2	509	<u>L46</u>
<u>L45</u>	((abstract\$3 or transparent\$3)) with (host or browser or client))	10600	<u>L45</u>
<u>L44</u>	((environment near (abstract\$3 or transparent\$3)) with (host or browser or client))	28	<u>L44</u>
<u>L43</u>	environment near (abstract\$3 or transparent\$3)	515	<u>L43</u>
<u>L42</u>	((run\$1time or jvm or java near machine or abstract\$3 or transparent\$3) near (memory near manage\$6 or event near notif\$6))	88	<u>L42</u>
<u>L41</u>	((run\$1time or jvm or java near machine or abstract\$3 or transparent\$3) near (memory near manage\$6 or threading or event near notif\$6))	124	<u>L41</u>
<u>L40</u>	maximum near number near (thread or task) with request	31	<u>L40</u>
<u>L39</u>	maximum near (thread or task) with service near request	2	<u>L39</u>
<u>L38</u>	maximum near (thread or task) near service near request	0	<u>L38</u>
<u>L37</u>	((chang\$3 or adjust\$4) near priority)with (thread or task))	367	<u>L37</u>
<u>L36</u>	delay\$3 near (abort\$3 or kill\$3 or terminat\$3) near (thread or task)	2	<u>L36</u>
<u>L35</u>	L33 and L34	0	<u>L35</u>
<u>L34</u>	callback near asynchronous\$2	81	<u>L34</u>
<u>L33</u>	completion near port	195	<u>L33</u>
<u>L32</u>	(personaliz\$4 or customiz\$4) near run\$1time	94	<u>L32</u>
<u>L31</u>	(personaliz\$4 or customiz\$4) near runtime	44	<u>L31</u>
<u>L30</u>	(bound or bind\$3) near (pointer or handle or reference) with complet\$3	57	<u>L30</u>
<u>L29</u>	(runt\$1time or jvm) and L28	11	<u>L29</u>
<u>L28</u>	(bound or bind\$3) near (pointer or handle or reference)	3200	<u>L28</u>
<u>L27</u>	(runt\$1time or jvm) and L26	6	<u>L27</u>
<u>L26</u>	delay\$3 with ((kill\$3 or suspen\$4 or terminat\$3) near (thread or task))	69	<u>L26</u>
<u>L25</u>	delay\$3 with (abort\$3 near (thread or task))	3	<u>L25</u>
<u>L24</u>	(alter\$6 or modif\$6) near priority near thread	24	<u>L24</u>
<u>L23</u>	(runt\$1time or jvm) and L22	6	<u>L23</u>
<u>L22</u>	(alter\$6 or modif\$6) near priority	2221	<u>L22</u>
<u>L21</u>	(runt\$1time or jvm) near integrat\$3	23	<u>L21</u>

<u>L20</u>	(runt\$1time or jvm) and L19	73	<u>L20</u>
<u>L19</u>	queue near (thread or task)	2071	<u>L19</u>
<u>L18</u>	notif\$6 and L17	22	<u>L18</u>
<u>L17</u>	jvmapi	40	<u>L17</u>
<u>L16</u>	set near (thread near pool)	17	<u>L16</u>
<u>L15</u>	(stop\$4 or block\$3 or suspen\$4) near (thread or task) with ((window or cpu or processor) near time or (time near slot))	50	<u>L15</u>
<u>L14</u>	memory near call\$1back	49	<u>L14</u>
<u>L13</u>	memory near allocat\$3 and L11	35	<u>L13</u>
<u>L12</u>	(runt\$1time or jvm) and L11	25	<u>L12</u>
<u>L11</u>	notif\$6 near callback	131	<u>L11</u>
<u>L10</u>	call\$1back and l8	22	<u>L10</u>
<u>L9</u>	(runt\$1time or jvm) and L8	6	<u>L9</u>
<u>L8</u>	move\$6 near (task or thread)	4872	<u>L8</u>
<u>L7</u>	(run\$1time or jvm) and ((application or client or browser) near (thread adj pool))	6	<u>L7</u>
<u>L6</u>	(run\$1time or jvm) and L5	40	<u>L6</u>
<u>L5</u>	re\$1us\$3 near (task or thread)	187	<u>L5</u>
<u>L4</u>	(memory near allocation).ti. and l1	1	<u>L4</u>
<u>L3</u>	(memory near alloaction).ti.	0	<u>L3</u>
<u>L2</u>	(memory near alloaction).ti. and l1	0	<u>L2</u>
<u>L1</u>	cook and low near memory	51	<u>L1</u>

END OF SEARCH HISTORY